



Parts Catalogue



Phone 1300 306 478

Email enquiries@OZmist.com.au

Website www.OZmist.com.au



Table of Contents

(click on headings; to jump to page)

Pump Modules	5
COMMERCIAL PUMP MODULES	5
Pump Modules	6
SINGLE & THREE PHASE INDUSTRIAL PUMP MODULES.....	6
Pump Modules	7
SINGLE PHASE INDUSTRIAL PUMP MODULES.....	7
THREE PHASE INDUSTRIAL PUMP MODULES	7
COMMERCIAL PUMP MODULES	7
PUMP CONTROLLERS AND ACCESSORIES	8
Pump Modules	8
FILTERS AND CARTRIDGES	8
Quick Fit Systems Stainless Tubing	9
QUICK FIT STAINLESS STEEL TUBE	9
Quick Fit Systems Stainless Tubing	10
QUICK FIT FITTINGS	10
Push Lock Fittings	11
1/4" PUSH LOCK FITTINGS	11
3/8" PUSH LOCK FITTINGS	11
Push Lock Fittings	12
3/8" PUSH LOCK FITTINGS	12
1/2" PUSH LOCK FITTINGS	12
High Pressure Nylon Tube	13
HIGH PRESSURE NYLON TUBE	13

Table of Contents

(click on the heading; go to that page)

Nozzles.....	14
NOZZLE EXTENTIONS.....	14
MISTING NOZZLES.....	14
Miscellaneous Components	15
SADDLES	15
BALL VALVES	15
MISTING RINGS	16
Miscellaneous Components	16
QUICK DISCONNECTS	16
FLEX HOSE - HIGH PRESSURE	16
Portamist MK2 Misting Fan	17
Portamist MK2 Misting Fan	17
FSD2460 Outdoor Fans & Kits	18
1 x FSD2460 OUTDOOR FAN KIT - 8.4.001	18
2 X FSD2460 OUTDOOR FAN KIT - 8.4.002	19
3 X FSD2460 OUTDOOR FAN KIT - 8.4.003	19
4 X FSD2460 OUTDOOR FAN KIT - 8.4.004	19
5 X FSD2460 OUTDOOR FAN KIT - 8.4.005	20
6 X FSD2460 OUTDOOR FAN KIT - 8.4.006	20
7 X FSD2460 OUTDOOR FAN KIT - 8.4.007	20
8 X FSD2460 OUTDOOR FAN KIT - 8.4.008	21
9 X FSD2460 OUTDOOR FAN KIT - 8.4.009	21

Table of Contents

(click on the heading; go to that page)

Industrial Fan Kits	22
1 X 650MM FAN BASED KIT - 8.2.005	23
2 X 650MM FAN BASED KIT - 8.2.006	23
3 X 650MM FAN BASED KIT - 8.2.007	23
4 X 650MM FAN BASED KIT - 8.2.008	24
5 X 650MM FAN BASED KIT - 8.2.009	24
6 X 650MM FAN BASED KIT - 8.2.0010	24
7 X 650MM FAN BASED KIT - 8.2.0011	25
8 X 650MM FAN BASED KIT - 8.2.0012	25
9 X 650MM FAN BASED KIT - 8.2.0013	25
STATIC STAINLESS STEEL KIT	26

High Pressure Stainless Steel Static Kits	26
1 X STATIC STAINLESS STEEL KIT 10 METRE - 8.1.001.....	26
1 X STATIC STAINLESS STEEL KIT 15 METRE - 8.1.002.....	27
1 X STATIC STAINLESS STEEL KIT 20 METRE - 8.1.003.....	27
1 X STATIC STAINLESS STEEL KIT 25 METRE - 8.1.004.....	28
1 X STATIC STAINLESS STEEL KIT 30 METRE - 8.1.005.....	28
1 X STATIC STAINLESS STEEL KIT 35 METRE - 8.1.006.....	29
1 X STATIC STAINLESS STEEL KIT 40 METRE - 8.1.007.....	29



Pump Modules

Commercial Pumps.

OZmist's CPM Commercial Pumps deliver outstanding performance and value, making them the best small high-pressure pumps on the market. Designed for small to medium static and fan-based misting systems, they're trusted across alfresco venues, commercial spaces, festivals, and light industrial applications.

These pumps are built to last — not throwaways. With regular servicing, they'll provide many years of reliable operation. OZmist also stocks a full range of spare parts and seal kits, ensuring your pump stays in service and performing at its best with minimal downtime.

COMMERCIAL PUMP MODULES

Code	Model	Kilowatt 1-Phase	Kilowatt 3-Phase	Operating Pressure	Maximum Flow Volume & Nozzle Capacity (0.2mm Nozzle @ 1000psi)
1.3.001	CPM25	.230kw 240v 1-Phase 3amp	NA	70 Bar - 1000psi	1.4 L/min or 25 Nozzles
1.3.002	CPM55	.570kw 240v 1-Phase 3amp	NA	70 Bar - 1000psi	3 L/min or 55 Nozzles

COMMERCIAL PUMP MODULES



1.3.001
Pump Module
CPM25 Commercial



1.3.002
Pump Module
CPM55 Commercial

Pump Modules

Single Phase Industrial Pumps | Three Phase Industrial Pumps

Industrial larger volume pumps continue under the OZ range.

These are built entirely in house by OZmist's technicians at their Wangaratta factory.

All OZ pumps features low water pressure cut off switch's, low-pressure inlet solenoid valves to control flow to the pump motor, high-pressure drain solenoid valves that open when the pump shuts down and double water filtration. Built for continuous duty, electric motors can be either single or three-phase (from the OZ125 upwards) and are thermally protected. OZ pump cabinets are fabricated from 304 grade stainless steel.

SINGLE & THREE PHASE INDUSTRIAL PUMP MODULES

Code	Model	Kilowatt 1-Phase	Kilowatt 3-Phase	Operating Pressure	Maximum Flow Volume & Nozzle Capacity (0.2mm Nozzle @ 1000psi)
1.1.001	OZ25	.230kw 240v 1-Phase 3amp	NA	70 Bar - 1000psi	1.4 L/min or 25 Nozzles
1.1.003	OZ55	.570kw 240v 1-Phase 3amp	NA	70 Bar - 1000psi	3 L/min or 55 Nozzles
1.1.004	OZ85	.750kw 240v 1-Phase 5.3amp	NA	70 Bar - 1000psi	5 L/min or 85 Nozzles
1.1.005	OZ125	1.125kw 240v 1-Phase 7amp	NA	70 Bar - 1000psi	7 L/min or 125 Nozzles
1.1.006	OZ160	1.125kw 240v 1-Phase 7amp	2.5a	70 Bar - 1000psi	9 L/min or 160 Nozzles
1.1.007	OZ210	1.5kw 240v 1-Phase 9.5amp	3.5a	70 Bar - 1000psi	12 L/min or 210 Nozzles
1.1.008	OZ250	2.2kw 240v 1-Phase 15amp	4.6a	70 Bar - 1000psi	15 L/min or 250 Nozzles
1.2.001	OZ160	NA	1.125KW - 2.5amp	70 Bar - 1000psi	9 L/min or 160 Nozzles
1.2.002	OZ210	NA	1.5KW - 3.5amp	70 Bar - 1000psi	12 L/min or 210 Nozzles
1.2.003	OZ250	NA	2.25KW - 4.6amp	70 Bar - 1000psi	15 L/min or 250 Nozzles
1.2.004	OZ320	NA	3.75KW - 7.4amp	70 Bar - 1000psi	18 L/min or 320 Nozzles

Pump Modules

SINGLE PHASE INDUSTRIAL PUMP MODULES

1.1.001	Pump Module OZ25 Industrial	1.4 L/min
1.1.003	Pump Module OZ55 Industrial	3 L/min
1.1.004	Pump Module OZ85 Industrial	5 L/min
1.1.005	Pump Module OZ125 Industrial	7 L/min
1.1.006	Pump Module OZ160 Industrial	9 L/min
1.1.007	Pump Module OZ210 Industrial	12 L/min
1.1.008	Pump Module OZ250 Industrial	15 L/min

THREE PHASE INDUSTRIAL PUMP MODULES

1.2.001	Pump Module OZ160 Industrial	9 L/min
1.2.002	Pump Module OZ210 Industrial	12 L/min
1.2.003	Pump Module OZ250 Industrial	15 L/min
1.2.004	Pump Module Oz320 Industrial	18 L/min

COMMERCIAL PUMP MODULES

1.3.001	Pump Module CPM25 Commercial	1.4 L/min
1.3.002	Pump Module CPM55 Commercial	3 L/min



Pump Modules

PUMP CONTROLLERS AND ACCESSORIES



2.1.002
Twin Cycle Timer for
CPM Pumps
OZmist Build



2.1.004
OZmist Thermostat.
Digital display, 2m
probe, R/A Plug



2.1.008
Odour Suppression
Dosing Pump - OZmist

FILTERS AND CARTRIDGES



11.2.001
Filter Cartridge
10 micron



11.2.002
Filter Cartridge
5 micron

Quick Fit Systems | Stainless Tubing

Engineered for performance and style, OZmist's Quick Fit system allows fast, leak-free installation with a simple snap connection. Our precision-machined 316 stainless steel tubing delivers strength, durability, and a premium finish — the perfect combination of speed, reliability, and elegance for any misting installation.

QUICK FIT STAINLESS STEEL TUBE



3.1.001
Quick Fit S/S
Tube 500mm



3.1.002
Quick Fit S/S
Tube 750mm



3.1.002MG
Quick Fit S/S Tube
500mm Marine Grade



3.1.003
Quick Fit S/S
Tube 1000mm



3.1.004
Quick Fit S/S
Tube 1,200mm



3.1.005
Quick Fit S/S
Tube 1,500mm



3.1.006
Quick Fit S/S
Tube 300mm



3.1.007
Quick Fit S/S
Tube 250mm



3.2.020
Stainless Steel Tube
3 Meter Length

Quick Fit Systems | Stainless Tubing

QUICK FIT FITTINGS



3.2.003
Quick Fit End Cap



3.2.004
Quick Fit Blank End
Single Nozzle Union



3.2.005
Quick Fit X 1/4"
MI Adaptor



3.2.006
Quick Fit Joiner



3.2.007
Quick Fit Tee



3.2.008
Quick Fit
Blank Union



3.2.009
Quick Fit Double
Nozzle Union



3.2.010
Quick Fit
End Plug



3.2.011
Quick Fit
Elbow 3/8



3.2.012
Quick Fit Single
Nozzle Union SNU



3.2.014
Quick Fit 1/4" Male to
S/S Tube union



3.2.015
Quick Fit Double Nozzle
Union - One Space

Push Lock Fittings

3/8" | 1/4" | 1/2" | Fittings

All of our high-pressure nylon tubing is manufactured in Melbourne. OZmist tubing is specially produced with a thicker wall, providing enhanced safety, durability, and a longer service life. The semi rigid, poly tubing simply pushes into the fittings and locks firmly, creating a seal that is drip free, easy to install, and reliable.

1/4" PUSH LOCK FITTINGS



3.4.001
Push Lock IT 1/4"
Nozzle Union



3.4.002
Push Lock IT
1/4" Elbow



3.4.003
Push Lock IT 1/4"
Blank End



3.4.004
Push Lock IT
1/4" Tee



3.4.005
Push Lock IT
1/4" Union



3.4.007
Push Lock IT 1/4"
MI x 3/8" Tube

3/8" PUSH LOCK FITTINGS



3.5.001
Push Lock 3/8"
Single Nozzle Union



3.5.002
Push Lock
IT 3/8" Elbow



3.5.003
Push Lock IT 1/4" MI
3/8" Tube



3.5.004
Push Lock IT
3/8" Tee

Push Lock Fittings

3/8" PUSH LOCK FITTINGS



3.5.005 - Push Lock IT
3/8" Blank End Single
Nozzle SNBE



3.5.006
Push Lock IT 3/8"x1/4"
Reducing Union



3.5.007
Push Lock IT 3/8"
Blank Line End



3.5.008
Push Lock 3/8"
Double Nozzle Union



3.5.009
3/8" Push Lock to
Quick Fit Union PLQF



3.5.010
3/8" Push Lock
Tube Union

1/2" PUSH LOCK FITTINGS



3.6.001
Push Lock IT 1/2" MI
x 1/2" Tube



3.6.002
Push Lock IT
1/2" Elbow



3.6.003
Push Lock IT
1/2" Tee



3.6.004
Push Lock IT
1/2" x 3/8" Reducer



3.6.005
1/2" Push Lock
Nozzle Union



3.6.007
1/2" Push Lock
Blank End



3.6.008
1/2" Push Lock
Tube Union

High Pressure Nylon Tube

3/8" | 1/4" | 1/2" | Nylon Tube

All of our high-pressure nylon tubing is manufactured in Melbourne. OZmist tubing is specially produced with a thicker wall, providing enhanced safety, durability, and a longer service life. See our range of push lock components to fit.

HIGH PRESSURE NYLON TUBE



4.1.001
Tube 3/8" Nylon
Tube 25m Roll



4.1.002
Tube 3/8" P/M
Nylon Tube



4.1.003
Tube 1/2" P/M
Nylon Tube



4.1.004
Tube 1/4" P/M
Nylon Tube



4.1.005
Nylon Tube 3/8"
100mtr Coil

Nozzles

Misting Nozzles | Nozzle Extensions

OZmist nozzles have an electroplated body & stainless steel face. Inside, a spring and nylon ball help turn pressurised water into a gentle mist without drips.

Unlike other nozzles you can remove the top of our nozzle and clean both sides of the face without any special tools.

NOZZLE EXTENTIONS



5.2.001
Nozzle Extension
150mm



5.2.001A
Nozzle Extension
300mm



5.2.002
Nozzle Swivel



5.2.003
4 x Nozzle Cluster

MISTING NOZZLES



5.1.001
Nozzle 0.13mm
SS Face



5.1.002
Nozzle 0.2mm
SS Face



5.1.003
Nozzle 0.3mm
SS Face



5.1.005
Nozzle 0.5mm
SS Face



5.1.006
Nozzle Blank
Brass



9.3.013
1/8' BSP 45 Series Fog
Cannon Nozzle 0.5mm

OZmist nozzles are designed to exact tolerances & available in 4 sizes / flow rates to suit specific applications & environments.

Miscellaneous Components

Flex Hose | Quick Disconnect | Ball Valves | Saddles | Misting Rings

Stainless steel Ball Valves are available in 1/4", 3/8" and 1/2". Stainless misting rings with welded spigots suit our entire range of fans for all alfresco, event, industrial cooling systems and fittings to enable high pressure mist cooling, as well as retro fitting to customers existing fans to provide the same OZmist cooling.

BALL VALVES



5.3.001

Ball Valve 1/4" S/S



5.3.002

Ball Valve 3/8" S/S



5.3.003

Ball Valve 1/2" S/S

SADDLES



5.6.001

Saddle 3/8"
Nylon Insert



5.6.002

Saddle 1/2"
Nylon Insert



5.6.003

Saddle 1/4"
Nylon Insert

Miscellaneous Components

MISTING RINGS



6.1.002
Misting Ring 180mm -
4 Nozzles



6.1.003
Misting Ring 350mm -
6 Nozzles



6.1.004
Misting Ring 435mm -
6 Nozzles
suit FSD2460



6.1.005
Double Misting Ring
550mm x 350mm
- 12 Nozzles

QUICK DISCONNECTS



5.4.001
Quick
Disconnect 1/4"



5.4.002
Quick
Disconnect 3/8"

FLEX HOSE - HIGH PRESSURE



5.5.003
Reinforced Hydraulic
Hose HP. 1/4" BSP
Swivel Ends fitted 1/4"
x 10000mm



5.5.004
Reinforced Hydraulic
Hose HP. 1/4" BSP
Swivel Ends fitted 1/4"
x 5000mm



5.5.010



5.5.011

OZmist supplies custom made 1/8" or 1/4" hydraulic hoses with stainless steel crimp fittings in any length. Please contact OZmist for pricing.



5.5.012
Reinforced Hydraulic
Hose HP. 1/4" 400mm

Portamist MK2 Misting Fan

Outdoor Fan | Indoor Fan

The Portamist MK2 Misting Fan is the ultimate high pressure mist fan for both indoor and outdoor areas. Industrial quality, versatile and stylish good looks make the PortaMist MK2 perfect for the factory, workshop, backyard, animal cooling, sporting events or the hire industry.

Portamist MK2 Misting Fan



17.1.0002

Portamist MK2 with
600mm Outdoor Fan

The high pressure pump in the PortaMist MK2 pressurises the on board water to 1,000PSI and forces it through nozzles on the face of the fan. This generates millions of tiny water droplets that “Flash Evaporate” and absorb the heat in the air without wetting of floors or surfaces.

The powerful fan circulates cooled air over 8 meters.



FSD2460 Outdoor Fans & Kits

Outdoor Fan | Outdoor Fan Kits

Our new FSD2460 range and are our highest spec fans to date, IPX55 rated motors while the fans are treated first with an electrocoat to provide a corrosion-resistant primer, followed by a powder coat (black gloss) top coat to give superior durability aswell an attractive finish.

FSD2460 OUTDOOR FANS



7.4.015

FSD2460 Outdoor
Wall Fan fitted
with S/S Ring
\$780.00

1 x FSD2460 OUTDOOR FAN KIT - 8.4.001

QTY	Product Code	1 x FSD2460 Outdoor Fan Kit
1	1.3.001	Pump Module CPM25 Commercial
1	w	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
1	4.1.001	Tube 3/8" Nylon Tube 25m Roll
2	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
1	3.5.002	Push Lock IT 3/8" Elbow
0	3.5.004	Push Lock 3/8" Tube Tee
20	5.6.001	Saddle 3/8" Nylon Insert

FSD2460 Outdoor Fans & Kits

2 X FSD2460 OUTDOOR FAN KIT - 8.4.002

QTY	Product Code	2 x FSD2460 Outdoor Fan Kit
1	1.3.001	Pump Module CPM25 Commercial
2	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
1	4.1.001	Tube 3/8" Nylon Tube 25m Roll
3	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
2	3.5.002	Push Lock IT 3/8" Elbow
1	3.5.004	Push Lock 3/8" Tube Tee
25	5.6.001	Saddle 3/8" Nylon Insert

3 X FSD2460 OUTDOOR FAN KIT - 8.4.003

QTY	Product Code	3 x FSD2460 Outdoor Fan Kit
1	1.3.001	Pump Module CPM25 Commercial
3	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
2	4.1.001	Tube 3/8" Nylon Tube 25m Roll
4	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
3	3.5.002	Push Lock IT 3/8" Elbow
2	3.5.004	Push Lock 3/8" Tube Tee
40	5.6.001	Saddle 3/8" Nylon Insert

4 X FSD2460 OUTDOOR FAN KIT - 8.4.004

QTY	Product Code	4 x FSD2460 Outdoor Fan Kit
1	1.3.001	Pump Module CPM25 Commercial
4	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
2	4.1.001	Tube 3/8" Nylon Tube 25m Roll
5	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
4	3.5.002	Push Lock IT 3/8" Elbow
4	3.5.004	Push Lock 3/8" Tube Tee
40	5.6.001	Saddle 3/8" Nylon Insert

FSD2460 Outdoor Fans & Kits

5 X FSD2460 OUTDOOR FAN KIT - 8.4.005

QTY	Product Code	5 x FSD2460 Outdoor Fan Kit
1	1.3.002	Pump Module CPM55 Commercial
5	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
3	4.1.001	Tube 3/8" Nylon Tube 25m Roll
6	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
5	3.5.002	Push Lock IT 3/8" Elbow
4	3.5.004	Push Lock 3/8" Tube Tee
60	5.6.001	Saddle 3/8" Nylon Insert

6 X FSD2460 OUTDOOR FAN KIT - 8.4.006

QTY	Product Code	6 x FSD2460 Outdoor Fan Kit
1	1.3.002	Pump Module CPM55 Commercial
6	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
3	4.1.001	Tube 3/8" Nylon Tube 25m Roll
7	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
6	3.5.004	Push Lock 3/8" Tube Tee
60	5.6.001	Saddle 3/8" Nylon Insert

7 X FSD2460 OUTDOOR FAN KIT - 8.4.007

QTY	Product Code	7 x FSD2460 Outdoor Fan Kit
1	1.3.002	Pump Module CPM55 Commercial
7	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
3	4.1.001	Tube 3/8" Nylon Tube 25m Roll
7	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
6	3.5.004	Push Lock 3/8" Tube Tee
60	5.6.001	Saddle 3/8" Nylon Insert

FSD2460 Outdoor Fans & Kits

8 X FSD2460 OUTDOOR FAN KIT - 8.4.008

QTY	Product Code	5 x FSD2460 Outdoor Fan Kit
1	1.3.002	Pump Module CPM55 Commercial
8	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
3	4.1.001	Tube 3/8" Nylon Tube 25m Roll
7	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
6	3.5.004	Push Lock 3/8" Tube Tee
60	5.6.001	Saddle 3/8" Nylon Insert

9 X FSD2460 OUTDOOR FAN KIT - 8.4.009

QTY	Product Code	6 x FSD2460 Outdoor Fan Kit
1	1.3.002	Pump Module CPM55 Commercial
9	7.4.015	FSD2460 - Misting Ring Fitted - 600mm Wall Mounted
3	4.1.001	Tube 3/8" Nylon Tube 25m Roll
7	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
6	3.5.004	Push Lock 3/8" Tube Tee
60	5.6.001	Saddle 3/8" Nylon Insert

Industrial Fan Kits

650mm Fan Kits

Indoor facilities face some of their greatest challenges when it comes to addressing excessive heat issues. With all that radiant heat, equipment and large space, fans alone just circulate hot air. To cool effectively and not cause issues, high pressure atomised mist and air movement is essential, and OZmist systems work incredibly well in these environments!

Retro fitting misting rings in front of a fan is the process to cool these spaces. For creating the mist, we supply the pumps, delivery lines, hardware, components, misting rings and nozzles. Systems can be automated with timers etc.

Note: We don't supply the industrial fans themselves in these kits, as they can be easily sourced locally and more cost effectively locally than sending from our factory.

INDUSTRIAL FAN KITS



6.1.003
Misting Ring Kit
350mm x 6 Nozzle.

Please note: Industrial Fan Kits do not include wall mounted industrial fans. We supply the misting rings, high pressure pump, delivery lines, all components and hardware to retro fit to the front of any wall mounted industrial fan. Suitable for wall mounted fans from 600mm to 750mm in diameter.

650mm Fan Based Kits

1 X 650MM FAN BASED KIT - 8.2.005

QTY	Product Code	1 x 650mm Fan Based Kit - 8.2.005
1	1.3.001	Pump Module CPM25 Commercial
1	6.1.003	Misting Ring Kit 350mm x 6 Nozzle. Connection Hose, Ball Valve, 1/4" Hex Nipple.
1	4.1.001	Tube 3/8" Nylon Tube 25m Roll
2	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
1	3.5.002	Push Lock IT 3/8" Elbow
0	3.5.004	Push Lock 3/8" Tube Tee
20	5.6.001	Saddle 3/8" Nylon Insert

2 X 650MM FAN BASED KIT - 8.2.006

QTY	Product Code	2 x 650mm Fan Based Kit - 8.2.006
1	1.3.001	Pump Module CPM25 Commercial
2	6.1.003	Misting Ring Kit 350mm x 6 Nozzle. Connection Hose, Ball Valve, 1/4" Hex Nipple.
2	4.1.001	Nylon Tube 3/8" Semi Rigid 2mm Wall Thickness 25m Roll
3	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
2	3.5.002	Push Lock IT 3/8" Elbow
1	3.5.004	Push Lock 3/8" Tube Tee
30	5.6.001	Saddle 3/8" Nylon Insert

3 X 650MM FAN BASED KIT - 8.2.007

QTY	Product Code	3 x 650mm Fan Based Kit - 8.2.007
1	1.3.001	Pump Module CPM25 Commercial
3	6.1.003	Misting Ring Kit 350mm x 6 Nozzle Connection Hose, Ball Valve, 1/4" Hex Nipple.
2	4.1.001	Nylon Tube 3/8" Semi Rigid 2mm wall thickness 25m Roll
4	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
3	3.5.002	Push Lock IT 3/8" Elbow
3	3.5.004	Push Lock 3/8" Tube Tee
40	5.6.001	Saddle 3/8" Nylon Insert

Please note: Industrial Fan Kits do not include wall mounted industrial fans. We supply the misting rings, high pressure pump, delivery lines, all components and hardware to retro fit to the front of any wall mounted industrial fan. Suitable for wall mounted fans from 600mm to 750mm in diameter.

650mm Fan Based Kits

4 X 650MM FAN BASED KIT - 8.2.008

QTY	Product Code	4 x 650mm Fan Based Kit - 8.2.008
1	1.3.001	Pump Module CPM25 Commercial
4	6.1.003	Misting Ring Kit 350mm x 6 Nozzle Connection Hose, Ball Valve, 1/4" Hex Nipple.
2	4.1.001	Tube 3/8" Nylon Tube 25m Roll
5	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
3	3.5.002	Push Lock IT 3/8" Elbow
4	3.5.004	Push Lock 3/8" Tube Tee
45	5.6.001	Saddle 3/8" Nylon Insert

5 X 650MM FAN BASED KIT - 8.2.009

QTY	Product Code	5 x 650mm Fan Based Kit - 8.2.009
1	1.3.002	Pump Module CPM55 Commercial
5	6.1.003	Misting Ring Kit 350mm x 6 Nozzle. Connection Hose, Ball Valve, 1/4" Hex Nipple.
3	4.1.001	Nylon Tube 3/8" Semi Rigid 2mm Wall Thickness 25m Roll
6	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
4	3.5.002	Push Lock IT 3/8" Elbow
5	3.5.004	Push Lock 3/8" Tube Tee
60	5.6.001	Saddle 3/8" Nylon Insert

6 X 650MM FAN BASED KIT - 8.2.0010

QTY	Product Code	6 x 650mm Fan Based Kit - 8.2.0010
1	1.3.002	Pump Module CPM55 Commercial
6	6.1.003	Misting Ring Kit 350mm x 6 Nozzle Connection Hose, Ball Valve, 1/4" Hex Nipple.
3	4.1.001	Nylon Tube 3/8" Semi Rigid 2mm wall thickness 25m Roll
7	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
6	3.5.004	Push Lock 3/8" Tube Tee
70	5.6.001	Saddle 3/8" Nylon Insert

Please note: Industrial Fan Kits do not include wall mounted industrial fans. We supply the misting rings, high pressure pump, delivery lines, all components and hardware to retro fit to the front of any wall mounted industrial fan. Suitable for wall mounted fans from 600mm to 750mm in diameter.

650mm Fan Based Kits

7 X 650MM FAN BASED KIT - 8.2.0011

QTY	Product Code	7 x 650mm Fan Based Kit - 8.2.0011
1	1.3.002	Pump Module CPM55 Commercial
7	6.1.003	Misting Ring Kit 350mm x 6 Nozzle Connection Hose, Ball Valve, 1/4" Hex Nipple.
4	4.1.001	Tube 3/8" Nylon Tube 25m Roll
8	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
7	3.5.004	Push Lock 3/8" Tube Tee
80	5.6.001	Saddle 3/8" Nylon Insert

8 X 650MM FAN BASED KIT - 8.2.0012

QTY	Product Code	8 x 650mm Fan Based Kit - 8.2.0012
1	1.3.002	Pump Module CPM55 Commercial
8	6.1.003	Misting Ring Kit 350mm x 6 Nozzle. Connection Hose, Ball Valve, 1/4" Hex Nipple.
4	4.1.001	Nylon Tube 3/8" Semi Rigid 2mm Wall Thickness 25m Roll
9	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
8	3.5.004	Push Lock 3/8" Tube Tee
80	5.6.001	Saddle 3/8" Nylon Insert

9 X 650MM FAN BASED KIT - 8.2.0013

QTY	Product Code	9 x 650mm Fan Based Kit - 8.2.0013
1	1.3.002	Pump Module CPM55 Commercial
9	6.1.003	Misting Ring Kit 350mm x 6 Nozzle Connection Hose, Ball Valve, 1/4" Hex Nipple.
5	4.1.001	Nylon Tube 3/8" Semi Rigid 2mm wall thickness 25m Roll
10	3.5.003	Push Lock IT 1/4" MI x 3/8" Tube
6	3.5.002	Push Lock IT 3/8" Elbow
10	3.5.004	Push Lock 3/8" Tube Tee
100	5.6.001	Saddle 3/8" Nylon Insert

Please note: Industrial Fan Kits do not include wall mounted industrial fans. We supply the misting rings, high pressure pump, delivery lines, all components and hardware to retro fit to the front of any wall mounted industrial fan. Suitable for wall mounted fans from 600mm to 750mm in diameter.

High Pressure Stainless Steel Static Kits

Static Stainless Steel Kits

This family of fittings is called “Quick Fit” and used extensively in public venues as hard wearing, discreet, stylish and versatile. We provide lengths of pre cut and machined 304 grade stainless steel tubing, at recommended 750mm lengths, along with unions, joiners, nozzles, elbows, tee's, saddles, end caps and high pressure pump module & delivery lines.

STATIC STAINLESS STEEL KIT



3.1.002
Quick Fit S/S Tube
750mm



OZmist's stainless static misting kits include all components required to have your own system installed in no time.

1 X STATIC STAINLESS STEEL KIT 10 METRE - 8.1.001

QTY	Product Code	1 x Static Stainless Steel Kit 10 Metre - 8.1.001
1	1.3.001	Pump Module CPM25 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
30	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
13	3.1.002	Quick Fit S/S Tube 750MM
12	3.2.012	Quick Fit Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
15	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow

High Pressure Stainless Steel Static Kits

1 X STATIC STAINLESS STEEL KIT 15 METRE - 8.1.002

QTY	Product Code	1 x Static Stainless Steel Kit 15 Metre - 8.1.002
1	1.3.001	Pump Module CPM25 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
35	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
20	3.1.002	Quick Fit S/S Tube 750MM
19	3.2.012	Quick Fit Single Nozzle Union
1	3.2.004	Quick Fit Blank End Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
22	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow

1 X STATIC STAINLESS STEEL KIT 20 METRE - 8.1.003

QTY	Product Code	1 x Static Stainless Steel Kit 20 Metre - 8.1.003
1	1.3.002	Pump Module CPM55 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
40	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
26	3.1.002	Quick Fit S/S Tube 750MM
25	3.2.012	Quick Fit Single Nozzle Union
1	3.2.004	Quick Fit Blank End Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
28	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow

High Pressure Stainless Steel Static Kits

1 X STATIC STAINLESS STEEL KIT 25 METRE - 8.1.004

QTY	Product Code	1 x Static Stainless Steel Kit 25 Metre - 8.1.004
1	1.3.002	Pump Module CPM55 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
45	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
33	3.1.002	Quick Fit S/S Tube 750MM
32	3.2.012	Quick Fit Single Nozzle Union
1	3.2.004	Quick Fit Blank End Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
35	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow

1 X STATIC STAINLESS STEEL KIT 30 METRE - 8.1.005

QTY	Product Code	1 x Static Stainless Steel Kit 30 Metre - 8.1.005
1	1.3.002	Pump Module CPM55 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
50	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
40	3.1.002	Quick Fit S/S Tube 750MM
39	3.2.012	Quick Fit Single Nozzle Union
1	3.2.004	Quick Fit Blank End Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
42	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow

High Pressure Stainless Steel Static Kits

1 X STATIC STAINLESS STEEL KIT 35 METRE - 8.1.006

QTY	Product Code	1 x Static Stainless Steel Kit 35 Metre - 8.1.006
1	1.3.002	Pump Module CPM55 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
55	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
46	3.1.002	Quick Fit S/S Tube 750MM
45	3.2.012	Quick Fit Single Nozzle Union
1	3.2.004	Quick Fit Blank End Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
48	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow

1 X STATIC STAINLESS STEEL KIT 40 METRE - 8.1.007

QTY	Product Code	1 x Static Stainless Steel Kit 40 Metre - 8.1.007
1	1.3.002	Pump Module CPM55 Commercial
1	4.1.001	Nylon Tube 3/8" Semi rigis 2mm wall thickness 25m Roll
60	5.6.001A	Saddle 3/8" Nylon Insert
1	3.4.007	1/4 Push Lock MI x Tube Union
1	3.5.002	Push Lock IT 3/8" Elbow
54	3.1.002	Quick Fit S/S Tube 750MM
53	3.2.012	Quick Fit Single Nozzle Union
1	3.2.004	Quick Fit Blank End Single Nozzle Union
1	3.5.009	3/8" Push Lock To Quick Fit Union PLQF
1	3.2.006	Quick Fit Joiner
56	5.1.002	Nozzle 0.2mm SS Face
1	3.2.007	Quick Fit Tee
2	3.2.011	Quick Fit Elbow



Address : OZmist Pty Ltd
31 Baker Street, Wangaratta,
Victoria 3677 Australia

Phone : 1300 306 478

Email : enquiries@OZmist.com.au

Website : www.OZmist.com.au

Registered Company Name: OZmist Pty Ltd

Year Incorporated : 2000

Place of Incorporation : Wangaratta

Corporation Type : Company

